

# LITHIC™

LUXURY SINTERED SLABS

15 YEAR LIMITED WARRANTY



# LITHIC™

LUXURY SINTERED SLABS

LITHIC, where luxury and innovation intersect to define the future of sintered slabs. Renowned for our avant-garde designs, we have established ourselves as trendsetters across the global design landscape.

LITHIC offers a versatile canvas for your creative vision, elevating spaces through a fusion of timeless elegance and contemporary flair. Our slabs are meticulously crafted, reflecting the ever-evolving trends of Italian and Spanish design, and seamlessly incorporating them into our products. Whether you seek a modern, minimalist aesthetic or a more classic, opulent style, LITHIC's slabs empower you to transform your spaces with endless possibilities.

These luxury sintered slabs are engineered to impress, excelling in both form and function. With attributes such as stain resistance, impact resistance, heat resistance, scratch resistance, and UV resistance, they not only enhance the visual appeal of your designs but also guarantee enduring quality. This ensures that your kitchen countertops, vanity units, tables, flooring and wall claddings in and outdoors maintain their pristine beauty throughout the years.

LITHIC's slabs, measuring 3200x1600 and 12mm in thickness, present a generous canvas for your creative aspirations. Whether it's expansive, seamless countertops or captivating feature walls and flooring our versatile size and thickness options make the extraordinary possible.

At LITHIC, we're not just a brand; we're your design partner, dedicated to pushing the boundaries of style, quality, and longevity. Our commitment to innovation and aesthetic excellence ensures that your design vision becomes a reality. Experience the epitome of luxury and elegance with LITHIC, where our sintered slabs etch sophistication into every space.



# APPLICATION



Food Grade Safety



Heat Resistant



Chemical Resistant



UV Resistant



Scratch Resistant



Impact Resistant




Stain Resistant




Non Porous

Counter Surfaces





Kitchen Appliance  
Home Panels

Interior Walls  
Interior Flooring




Custom Home

Bathroom Space



Exterior Walls  
Exterior Flooring

Stairs



Door Trims

LITHIC™  
LUXURY SINTERED SLABS


CATALINA





# CATALINA

- High Gloss
- Soft Matt
- Available in Book-match



LITHIC™  
LUXURY SINTERED SLABS

TOSCANA





# TOSCANA

- High Gloss
- Available in Book-match



LITHIC™  
LUXURY SINTERED SLABS

CASTELLO







# CASTELLO


- Soft Matt
- Available in Book-match





SANTA NERA





# SANTA NERA

• Velvet





BELLISIMO



# BELLISIMO

• Velvet





CONTESSA





# CONTESSA

• Soft Matt





FIORA








FIORA

• High Gloss





GODIVA GOLD





# GODIVA GOLD



• High Gloss



**LITHIC**<sup>TM</sup>  
LUXURY SINTERED SLABS

IMPERIA GOLD





# IMPERIA GOLD

• Carved Velvet





ROYAL BEIGE





# ROYAL BEIGE



• High Gloss





STELLA GOLD







# STELLA GOLD


- Soft Matt
- Available in Book-match






PIETRA DE LUNA





# PIETRA DE LUNA

- Soft Matt
- Available in Book-match



LITHIC™  
LUXURY SINTERED SLABS

ARABESCATO






# ARABESCATO

- High Gloss
- Available in Book-match





FRANCHINO



# FRANCHINO

• Velvet





ROSE ONYX







# ROSE ONYX




• High Gloss



LITHIC™  
LUXURY SINTERED SLABS

ELENORA





# ELENORA



• High Gloss





AURORA GREY





# AURORA GREY



• Velvet





LUCIANO  
TRAVERTINE





LUCIANO  
TRAVERTINE



# LUCIANO TRAVERTINE

• Velvet






LITHIC™  
LUXURY SINTERED SLABS

SERAPHINA




LITHIC™  
LUXURY SINTERED SLABS

OCEANNA



LITHIC™  
LUXURY SINTERED SLABS

AMAZONITE





IVORY  
TRAVERTINE





ROMANO  
TRAVERTINE



	Test Item	Standard	International Standard	Average Value
Size and Appearance	Thickness	ISO-10545-2	±5,0% MAX (±0,5 mm MAX)	Complying
	Straightness of sides		±0,3% MAX (±0,8 mm MAX)	Complying
	Surface flatness		±0,4% MAX (±1,8 mm MAX)	Complying
	Slab dimension tolerance		±0,3% MAX (±1,5 mm MAX)	Complying
	Sides		±0,3% MAX (±1,0 mm MAX)	Complying
Flexion Resistance	Water absorption	ISO-10545-3	≤0,5%	≤0,05%
	Breaking Strength	ISO-10545-4	≥1300N	≥3500N
	Modulus of Rupture		≥35N/mm <sup>2</sup>	≥40N/mm <sup>2</sup>
	Impact Resistance	ISO-10545-5	Declared Value	>0,85
	Deep Abrasion Resistance	ISO-10545-6	≤175mm <sup>3</sup>	≤145mm <sup>3</sup>
	Coefficient of liner thermal expansion	ISO-10545-8	-	>6x10 <sup>6</sup> 0 C-1
	Thermal Shock Resistance	ISO-10545-9	Pass According EN ISO 10545-1	No Damage
	Moisture Expansion	ISO-10545-10		<0,1mm/m
	Frost Resistance	ISO-10545-12	Pass According EN ISO 10545-1	No Damage
Chemical Resistance	Pool Chemical			
	Cleaning Products	ISO-10545-13		
	Low Concentrations			
	High Concentrations			
	Stain Resistance	ISO-10545-14	Declared Value	5
	Lead and Cadmium Release	ISO-10545-15	Declared Value	<Instrument Limit
	Skid Resistance	DIN 51130		Matte - R9



**JAMSON**  
**CORPORATION**  
SURFACE SPECIALISTS

17-21 Stanhope Place  
Briardene  
Durban  
South Africa

JAMSON.co.za  
Facebook.com/Lithic.co.za

